

Role REST (CentOS8/Win2019)

Mount the Share

The system must have access to the share on `acd-store`.

Checkout JREST Repository

On **acd-store** execute the following commands to checkout the repository:

```
su jtel
cd /srv/jtel/shared
git clone https://bitbucket.org/jtelgmbh/jtel-system-java-services.git
```

Installation - on Linux Server

To install the REST role on a Linux server, proceed as follows on the **acd-rest** server.

Java 12

Install java 12 as follows:

```
cd /home/jtel
wget https://cdn.jtel.de/downloads/java/openjdk-12.0.2_linux-x64_bin.tar.gz
tar xvfz openjdk-12.0.2_linux-x64_bin.tar.gz
rm -f openjdk-12.0.2_linux-x64_bin.tar.gz
chown -R jtel:jtel jdk-12.0.2
```

jrest

Install jrest as follows:

```
cd /home/jtel
cp -r /home/jtel/shared/jtel-system-java-services/deploy/jrest jrest
mkdir /home/jtel/jrest/log
chown -R jtel:jtel jrest
cp jrest/systemd/jrest.service /etc/systemd/system
chmod +x /home/jtel/jrest/systemd/jrest
systemctl daemon-reload
systemctl enable jrest.service
```

Configuration

Edit the configuration file **/home/jtel/jrest/config/jtel-jrest.xml** and check database access passwords and hosts etc. are correct.

Note: the serverID must be unique for each server.

```
<serverID>2001</serverID>
```

Edit the startup file **/home/jtel/jrest/systemd/jrest** and check the java directory is correct (the correct java version).

Edit the logging configuration file **/home/jtel/jrest/config/log4j2.xml** and make sure it points to the required logging directory.

Firewall

Open the firewall port 8091 as follows:

```
firewall-cmd --zone=public --add-port=8091/tcp --permanent
firewall-cmd --reload
```

Start Service

Start the service.

```
systemctl start jrest.service
```

Installation - on Windows Server

To install the REST role on the windows server, proceed as follows.

Java 12

Download java 12 from here:

https://cdn.jtel.de/downloads/java/openjdk-12.0.2_windows-x64_bin.zip

Unpack this to the following directory:

```
c:\Apps\
```

This should result in the following directory structure being created:

```
C:\Apps\openjdk-12.0.2_windows-x64_bin\jdk-12.0.2\bin
```

Note, if you do not use the paths specified above, you may have to change the configuration considerably.

Copy Files and Install

On the windows server, execute the following commands in a non-elevated command prompt:

```
c :  
md \JRest  
xcopy /E \\acd-store\shared\jtel-system-java-services\deploy\jrest C:\JRest
```

Configuration

Edit the configuration file, and make sure the database access (username and password) is correct:

```
C:\JRest\config\jtel-jrest.xml
```

Shortcut

Create a shortcut for **start-jrest.cmd** and put this into **shell:startup**

Configure Load-Balancer

It is best to send the requests for the REST API to the load balancer. To make this possible, the following needs to be added to the load balancer configuration.

Frontend http / https

Depending on the protocol used, either http or https may be configured. In the relevant front-end the following should be added:

```
# ADD THIS WHERE THE acls are:
    acl rest_req    url_req ^\/rest\/v1.0

# ADD THIS WHERE THE use_backend directives are:
    use_backend     jtel_rest    if rest_req

# ADD THIS AT THE BOTTOM:

#-----
# this backend provides access to the REST API
#-----
backend jtel_rest
    mode                http
    compression         algo gzip
    compression         type text/xml text/html text/plain text/css text/javascript
    balance              leastconn # roundrobin
    stick-table         type ip size 20k
    stick               on src
    server               acd-tell acd-tell:8091 weight 1 cookie jboss1 check inter lm
```

Reload Load-Balancer

Reload the load balancer:

```
systemctl reload haproxy
```

Configure Windows Firewall

In an elevated command prompt on the windows server:

```
netsh advfirewall firewall add rule name="JREST" dir=in action=allow protocol=TCP localport=8091 edge=no
```

Start REST Server

Start the rest server on the windows machine with the shortcut.